

## Karolinska Institutet

http://openarchive.ki.se

This is a Peer Reviewed Published version of the following article, accepted for publication in Scandinavian Journal of Work and Organizational Psychology.

2023-12-21

# Moral stress among Swedish health care workers during the COVID-19 pandemic: a cross-sectional study

Gustavsson, Martina E; Juth, Niklas; von Schreeb, Johan; Arnberg, Filip K

Scandinavian Journal of Work and Organizational Psychology. 2023 Feb 16;8(1):2. Stockholm University Press

http://doi.org/10.16993/sjwop.170 http://hdl.handle.net/10616/48941

If not otherwise stated by the Publisher's Terms and conditions, the manuscript is deposited under the terms of the Creative Commons Attribution-NonCommercial-NoDerivatives License (http://creativecommons.org/licenses/by-nc-nd/4.0/), which permits non-commercial re-use, distribution, and reproduction in any medium, provided the original work is properly cited, and is not altered, transformed, or built upon in any way.

1 2	Appendix 1
3	Table of Contents
4	Table A 1. Descriptive table of internal dropout
5	Table A 2. Morally stressing situations by involvement in COVID-19 care
6	Table A 3. Morally stressing situations by time at workplace and involvement in COVID-19 care 2
7	Table A 4. Morally stressing situations by occupational group and involvement in COVID-19 care 3
8	Table A 5. Morally stressing situations by workplace and involvement in COVID-19 care
9	Table A 6. Morally stressing situations by age and gender, and involvement in COVID-19 care 4
10	Table A 7. Perceptions of the severity of moral stress in various situations
11 12	Table A 8. Perceived causes of the morally stressful situations related to involvement in COVID-19 care
13 14	Table A 9. Support that was perceived as available, and helpful regarding dealing with morally stressful situations related to involvement in COVID-19 care
15	
16	

# Table A 1. Descriptive table of internal dropout

17

Characteristics	All respondents <sup>a</sup> (N = 16 044)	Respondents included in the analysis <sup>b</sup> (N = 8 721)	Respondents excluded from analysis <sup>c</sup> (N = 3 698)
Age, M (SD)	46.2 (11.9)	46.05 (11.7)	52.2 (13.9)
Sex, n (%)			
Female	13 563 (85.4)	7495 (85.9)	3 043 (83.2)
Male	2 276 (14.3)	1226 (14.1)	607 (16.6)
Covid care, n (%)			
Yes	6 986 (43.5)	4230 (48.5)	983 (27)
No	9 058 (56.5)	4491 (51.5)	2 715 (73)
Occupational group, n (%)			
Direct patient care	12 640 (79)	7068 (81.0)	2 694 (73.2)
Indirect patient care <sup>d</sup>	1219 (8)	717 (8.2)	88 (2.4)
Coordinators	82 (1)	596 (6.8)	16 (0.4)
Managers	470 (3)	47 (0.5)	383 (10.4)
Other <sup>e</sup>	1 554 (10)	293 (3.4)	498 (13.5)

Note. Group totals differ due to incomplete survey responses.

### 25 Table A 2. Morally stressing situations by involvement in COVID-19 care

To what extent have you experienced situations of moral stress? N (%)									
COVID-19 care	Never	Rarely	Occasionally	Often	Very often	Total N			
No	2715(32)	2786(33)	2335(27)	599(7)	167(2)	8602			
Yes	983(15)	1847(28)	2476(37)	1016(15)	354(5)	6676			
Total	3698(24)	4633(30)	4811(31)	1615(11)	521(3)	15278			

### 27 Table A 3. Morally stressing situations by time at workplace and involvement in COVID-19 care

Months at	COVID-19	To what extent have you experienced situations of moral stress? N (%)						
workplace	care	Never	Rarely	Occasionally	Often	Very often	Total N	
<=5	No	184 (36)	142 (28)	146 (29)	30 (6)	8 (2)	510	
	Yes	80 (17)	108 (23)	177 (38)	66 (14)	32 (7)	463	
6-11	No	238 (31)	236 (31)	215 (28)	53 (7)	21 (3)	763	
	Yes	93 (14)	185 (27)	268 (39)	103 (15)	40 (6)	689	
12-59	No	942 (30)	1036 (33)	865 (28)	233 (7)	64 (2)	3140	
	Yes	365 (14)	723 (28)	945 (36)	427 (16)	146 (6)	2606	
60-119	No	448 (30)	502 (34)	400 (27)	110 (7)	33 (2)	1493	
	Yes	135 (13)	304 (28)	425 (40)	162 (15)	52 (5)	1078	
120-239	No	419 (34)	385 (31)	343 (28)	84 (7)	16(1)	1247	
	Yes	153 (17)	252 (28)	312 (35)	141 (16)	39 (4)	897	
>=240	No	317 (34)	331 (35)	215 (23)	57 (6)	14 (2)	934	
	Yes	95 (16)	191 (32)	214 (36)	69 (12)	29 (5)	598	

a: All respondents who completed the initial demographical questions in the survey

<sup>18</sup> 19 20 21 22 23 24 b: Respondents who had experienced morally stressful situations

c: Respondents who had not experienced morally stressful situations

d: psychologists, dentists/dental nurses, physiotherapists/occupational therapists/dieticians, audiologists/speech therapist, pharmacists,

radiology nurses/medical physicist, biomedical scientists/laboratory assistants, and chiropractors

e: other which is not specified in the above

Table A 4. Morally stressing situations by occupational group and involvement in COVID-19 care

	COVID-19	To what extent have you experienced situations of moral stress? N $(\%)$					
Age group	care	Never	Rarely	Occasionally	Often	Very often	Total N
Direct patient care	No	1897 (30)	2005 (32)	1777 (28)	454 (7)	134 (2)	6267
	Yes	797 (14)	1569 (27)	2170 (38)	913 (16)	328 (6)	5777
Indirect patient care <sup>a</sup>	No	291 (38)	266 (35)	161 (21)	48 (6)	3 (0)	769
	Yes	92 (23)	129 (32)	124 (31)	39 (10)	14 (4)	398
Managers	No	54 (22)	92 (38)	78 (32)	17 (7)	4 (2)	245
	Yes	34 (17)	55 (28)	77 (39)	27 (14)	6 (3)	199
Coordinators	No	13 (26)	17 (34)	13 (26)	5 (10)	2 (4)	50
	Yes	3 (12)	2 (8)	17 (68)	2 (8)	1 (4)	25
Other <sup>b</sup>	No	442 (36)	392 (32)	291 (24)	73 (6)	22 (2)	1220
	Yes	56 (22)	87 (34)	80 (31)	29 (11)	5 (2)	257

a: psychologists, dentists/dental nurses, physiotherapists/occupational therapists/dieticians, audiologists/speech therapist, pharmacists, radiology nurses/medical physicist, biomedical scientists/laboratory assistants, and chiropractors

Table A 5. Morally stressing situations by workplace and involvement in COVID-19 care

	To what extent have you experienced situations of moral stress? N							
Workplace	COVID-19 care	Never	Rarely	(%) Occasionally	Often	Very often	Total N	
ICU	No	21 (26)	20 (25)	29 (36)	7 (9)	3 (4)	80	
	Yes	40 (10)	104 (27)	143 (37)	81 (21)	21 (5)	389	
	Total	61 (13)	124 (26)	172 (37)	88 (19)	24 (5)	469	
Radiology Dept.	No	83 (27)	90 (29)	103 (33)	24 (8)	10 (3)	310	
	Yes	51 (11)	112 (25)	177 (39)	80 (18)	32 (7)	452	
	Total	134 (18)	202 (27)	280 (37)	104 (14)	42 (6)	762	
Palliative Care	No	10 (34)	12 (41)	5 (17)	1 (3)	1 (3)	29	
	Yes	15 (23)	29 (45)	19 (29)	2 (3)	0 (0)	65	
	Total	25 (27)	41 (44)	24 (26)	3 (3)	1(1)	94	
Municipal Elderly Care	No	877 (28)	991 (32)	915 (30)	240 (8)	76 (2)	3099	
	Yes	408 (14)	733 (26)	1088 (39)	421 (15)	166 (6)	2816	
	Total	1285 (22)	1724 (29)	2003 (34)	661 (11)	242 (4)	5915	

30 31 32

b: other which is not specified in the above

Table A 6. Morally stressing situations by age and gender, and involvement in COVID-19 care

Age	COVID-19	To what ext	To what extent have you experienced situations of moral stress? N (%)						
group	care	Never	Rarely	Occasionally	Often	Very often	Total		
<=19	No	23 (33)	25 (36)	18 (26)	2 (3)	1 (1)	69		
	Yes	9 (21)	12 (29)	12 (29)	7 (17)	2 (5)	42		
20-29	No	203 (27)	243 (32)	231 (31)	66 (9)	12 (2)	755		
	Yes	91 (11)	213 (26)	316 (39)	147 (18)	43 (5)	810		
30-39	No	391 (28)	482 (34)	403 (29)	109 (8)	24 (2)	1409		
	Yes	160 (11)	351 (25)	517 (37)	273 (20)	94 (7)	1395		
40-49	No	590 (29)	658 (32)	579 (29)	156 (8)	46 (2)	2029		
	Yes	287 (17)	479 (28)	600 (35)	246 (14)	86 (5)	1698		
50-64	No	1371 (35)	1269 (32)	1011 (25)	237 (6)	79 (2)	3967		
	Yes	400 (16)	730 (29)	976 (38)	329 (13)	122 (5)	2557		
>=65	No	99 (38)	79 (30)	63 (24)	20 (8)	2(1)	263		
	Yes	25 (25)	34 (33)	32 (31)	8 (8)	3 (3)	102		
Gender									
Female	No	2252 (31)	2342 (32)	2007 (28)	531 (7)	147 (2)	7279		
	Yes	791 (14)	1540 (27)	2125 (38)	879 (16)	312 (6)	5647		
Male	No	427 (35)	412 (34)	302 (25)	56 (5)	19 (2)	1216		
	Yes	180 (19)	286 (30)	323 (34)	126 (13)	38 (4)	953		
Other	No	6 (20)	10 (34)	7 (24)	5 (17)	1 (3)	29		
	Yes	4 (27)	2 (13)	5 (33)	3 (20)	1 (7)	15		

Table A 7. Perceptions of the severity of moral stress in various situations

		The moral s			
Situation	COVID-19 care	None	Moderate	High	Total N
All the alternat	ives felt wrong but, I had to	act/make a decisio	n		
	No	1546 (30)	1958 (38)	1712 (33)	5216
	Yes	1031 (20)	1898 (37)	2216 (43)	5145
	Total	2577 (25)	3856 (37)	3928 (38)	10361
I made or was i	included in a decision that d	lid not match my m	oral values		
	No	1565 (30)	1974 (38)	1644 (32)	5183
	Yes	1137 (22)	1900 (37)	2092 (41)	5129
	Total	2702 (26)	3874 (38)	3736 (36)	10312
Others' decisio	ns hindered me from acting	in accordance with	n my moral values		
	No	1269 (25)	1851 (36)	2047 (40)	5167
	Yes	894 (18)	1697 (33)	2515 (49)	5106
	Total	2163 (21)	3548 (35)	4562 (44)	10273
Other circumst	ances hindered me, such as	lack of time or mat	terials and structura	al resources	
	No	1098 (21)	1740 (34)	2318 (45)	5156
	Yes	557 (11)	1380 (27)	3165 (62)	5102
	Total	1655 (16)	3120 (30)	5483 (53)	10258
Others' decisio	ns hindered me from acting	in accordance with	n my moral values		
	No	1269 (25)	1851 (36)	2047 (40)	5167
	Yes	894 (18)	1697 (33)	2515 (49)	5106
	Total	2163 (21)	3548 (35)	4562 (44)	10273
I took action, b	ut I felt that it was not suffi	cient according to 1	ny moral perception	ns	
	No	1172 (23)	1872 (36)	2108 (41)	5152
	Yes	689 (14)	1527 (30)	2880 (57)	5096
	Total	1861 (18)	3399 (33)	4988 (49)	10248

Table A 8. Perceived causes of the morally stressful situations related to involvement in COVID-19 care

		What caused the morally stressing situations? N (%)					
Perception	COVID-19 care	Disagree	Partly agree	Agree	Total N		
Resource constr	aints, such as PPE, mater	ial, staff, beds					
	No	972 (21)	1232 (26)	2463 (53)	4667		
	Yes	457 (10)	931 (20)	3372 (71)	4760		
	Total	1429 (15)	2163 (23)	5835 (62)	9427		
Clashes between	one's own moral values a	and those of the wor	kplace/other actors				
	No	1395 (30)	1568 (34)	1699 (36)	4662		
	Yes	1025 (22)	1590 (33)	2135 (45)	4750		
	Total	2420 (26)	3158 (36)	3834 (41)	9412		
Being forced to	act outside of one's compe	tence					
	No	1847 (40)	1552 (33)	1259 (27)	4658		
	Yes	1275 (27)	1513 (32)	1964 (41)	4752		
	Total	3122 (33)	3065 (33)	3223 (34)	9410		
Cultural, social	and political aspects						
	No	2244 (48)	1419 (31)	990 (21)	4653		
	Yes	1838 (39)	1557 (33)	1355 (29)	4750		
	Total	4082 (43)	2976 (32)	2345 (25)	9403		
Leadership and	structures in the team						
	No	1441 (31)	1445 (31)	1767 (38)	4653		
	Yes	1104 (23)	1482 (31)	2162 (46)	4748		
	Total	2545 (27)	2927 (31)	3929 (42)	9401		
Colleagues' beh	aviours and decisions						
J	No	1432 (31)	1603 (34)	1619 (35)	4654		
	Yes	1170 (25)	1689 (36)	1889 (40)	4748		
	Total	2602 (28)	3292 (35)	3508 (37)	9402		
Putting own safe	ety before patient care						
J	No	1801 (39)	1481 (32)	1363 (29)	4645		
	Yes	1140 (24)	1480 (31)	2125 (45)	4745		
	Total	2941 (31)	2961 (32)	3488 (37)	9390		
The isolation of	patients who were hinder	ed in regard to visit	s and the involvemen	t of relatives			
	No	1640 (35)	1205 (26)	1797 (39)	4642		
	Yes	732 (15)	1062 (22)	2949 (62)	4743		
	Total	2372 (25)	2267 (24)	4746 (51)	9385		
Difficulties relat	ed to relatives/intimates b	eing involved in pa	tients' end-of-life car	re			
	No	2620 (57)	846 (18)	1171 (25)	4637		
	Yes	1311 (28)	911 (19)	2520 (53)	4742		
	Total	3931 (42)	1757 (19)	3691 (39)	9379		

# Table A 9. Support that was perceived as available, and helpful regarding dealing with morally stressful situations related to involvement in COVID-19 care

		What support di	What support did you have to deal with the situations? $N\left(\%\right)$				
Perception	COVID-19 care	Disagree	Partly agree	Agree	Total N		
It was up to me	to solve the situation, find	d own support and c	ome up with own sol	utions/ideas			
	No	1015 (23)	1347 (31)	1986 (46)	4348		
	Yes	726 (16)	1311 (29)	2547 (56)	4584		
	Total	1741 (19)	2658 (30)	4533 (51)	8932		
Formal support	such as workplace suppo	ort, reflection groups	, end-of-shift talks				
	No	1559 (36)	1337 (31)	1438 (33)	4334		
	Yes	1538 (34)	1379 (30)	1667 (36)	4584		
	Total	3097 (35)	2716 (30)	3105 (35)	8918		
Psychologist/the	erapist, occupational heal	th care, leadership s	upport				
	No	1896 (44)	1307 (30)	1129 (26)	4332		
	Yes	1757 (38)	1294 (28)	1531 (33)	4582		
	Total	3653 (41)	2601 (29)	2660 (30)	8914		
Informal suppor	rt						
	No	555 (13)	1023 (24)	2748 (64)	4326		
	Yes	318 (7)	865 (19)	3398 (74)	4581		
	Total	873 (10)	1888 (21)	6146 (69)	8907		